

Prof. Dr. Wolfram Gerhard Scheurlen

Leitender Chefarzt der Cnopf'schen Kinderklinik
St.-Johannis-Mühlgasse 19
90419 Nürnberg

Tel.: 0911 3340 3000

FAX: 0911 3340 3011

Publikationen:

Boshart, M, Gissmann, L., Ikenberg, H, Kleinheinz, A., **Scheurlen, W**, zur Hausen, H.: A new type of papillomavirus DNA, its presence in genital cancer biopsies and in cell lines derived from cervical cancer. EMBO J., 1984; 3: 1151-7.

Scheurlen, W, Gissmann, L, Gross, G, zur Hausen, H: Molecular cloning and characterization of two HPV types (HPV 37 and HPV 38) from a keratoacanthoma and a malignant melanoma. Int. J. Cancer 1986; 37: 505-10.

Scheurlen, W, Stremlau, A, Gissmann, L, Höhn, P, Zenner, H-P, zur Hausen, H: Rearranged HPV 16 DNA molecules in an anal and in a laryngeal carcinoma. Int. J. Cancer 1986; 38: 671-6.

Scheurlen, W, von Stockhausen, H-B, Kreth, H-W: Diagnose der Monozygotie bei Mehrlingen durch DNA-Fingerprinting. Monatsschr. Kinderheilkunde 1991; 139: 30-2.

Scheurlen, W, Jeschke, R Kreth, H-: Spezifische Gendelektionen bei Patienten mit zystischer Fibrose: Pilotstudie an einem kleinen Patientenkollektiv. Pädiatr. Grenzgeb. 1991; 30: 271-281.

Scheurlen, W, Collmann, H, Sandhage, K, Sörensen, N: Cor pulmonale und intrakranielle Druckkrisen durch mechanische Ventilationsstörung beim Pfeiffer-Syndrom. Pädiatr. Praxis 1991; 42: 237-243.

Huppertz, H-I, **Scheurlen, W**: Salmonella septic arthritis presenting as reactive arthritis. J.Rheumatol. 1991; 18: 1112-3.

Scheurlen, W, Kreth, H-W: Tumorsuppressorgene: Vorkommen, Bedeutung und Funktion. Monatsschr. Kinderheilk. 1991; 139: 650-4.

Scheurlen, W, Frauendienst, G, Schrod, L. von Stockhausen, H-B: Polymerase chain reaction-amplification of urease genes: rapid screening for ureaplasma urealyticum infection in endotracheal aspirates of ventilated newborns. Eur. J. Pediatr. 1992; 151: 740-2.

Scheurlen, W, Petrasch, K. Huppertz, H-I, Kühl, J: Expression of mutant p53 protein in metastasizing medulloblastoma and PNET: a prognostic marker? Am. J. Pediatr. Hematol. Oncol. 1993; 15: 137-138.

Scheurlen, W, Borkhardt, A, Ritterbach, J, Huppertz, H-I: Spontaneous hematological remission in a boy with myelodysplastic syndrome and monosomy 7. Leukemia 1994; 8: 1435-8.

Scheurlen, W, Gick, A., Huppertz, H-I.: Akute transitorische Erythroblastopenie bei zweieiigen Zwillingen. Pädiatr. Praxis 1995; 48: 391-4.

Scheurlen, W: Alternative ways of p53 inactivation in childhood malignancies? Int. J. Pediatr. Hematol. Oncol. 1995; 1: 623-4.

Scheurlen, W, Harbott, J, Janssen, J, Kühl, J, Bartram, C: Acute promyelocytic leukaemia with sparse granularity of bone marrow blasts in a 16-year-old girl: diagnostic value of different genetic methods. Eur. J. Pediatr. 1995; 154: 369-73.

Scheurlen, W, Senf, L.: Analysis of the GAP-related domain of the neurofibromatosis type 1 (NF1) gene in childhood brain tumors. Int. J. Cancer 1995; 64: 234-238.

Nanan, R, **Scheurlen, W**, Gehrlich, M, nd Huppertz, H-I: Severe low titer cold hemagglutinin disease

reponsive to steroid pulse therapy. *Ann. Hematol.* 1995; 71: 101-2.

Scheurlen, W, Krauss, J, Kühl, J: No preferential loss of one parental allele of chromosome 17p13.3 in childhood medulloblastoma. *Int. J. Cancer* 1995; 63: 372-4.

Scheurlen, W: Scheinbare Hyperchromasie und Makrozytose von Erythrozyten als technisches Artefakt bei Kältehämagglutininen. *Monatsschr. Kinderheilk.* 1996; 144: 537-9.

Scheurlen, W: Humanpathogene Papillomviren und Krebs. *Lebensversicherungsmedizin* 1986; 5: 139-43.

Scheurlen, W, Kreth, H-W.: Ig- and TCR - rearrangement in bone marrow cells of a patient with infectious mononucleosis. Abstract on the Fourth Annual Research Meeting of the Kind-Philipp-Foundation for Leukemia Research. *Ergeb. Pädiatr. Onkol.* 1991; 203: 330.

Scheurlen, W, von Stockhausen, H-B.: PCR-Amplifikation von Urease-Genen: eine schnelle und sensitive Methode zum Nachweis von Ureaplasma Urealyticum - Keimen im Trachealsekret Früh- und Neugeborener. *Monatsschr. Kinderheilk.* 1992; 140: 553.

Scheurlen, W, Petrasch, K., Kühl, J: Expression of mutant p53-protein in metastasizing medulloblastoma. Abstract on the Fifth Annual Research Meeting of the Kind-Philipp-Foundation for Leukemia Research. *Ergeb. Pädiatr. Onkol.* 1992; 204: 308.

Scheurlen, W, Kühl, J, Collmann, H, Sörensen, N: Screening for tumor suppressor genes in childhood brain tumors. Abstract on the Fifth Annual Research Meeting of the Kind-Philipp-Foundation for Leukemia Research. *Ergebn. Pädiatr. Onkol.* 1993; 17; 310.

Scheurlen, W, Aguzzi, A., Bamberg, M, Henze, G, Kaatsch, P, Maaß, E, Deinlein, F, Kühl, J: Preradiation chemotherapy in children and young adults with high grade glioma. Results of the German Pilot Trial HIT '88/'89. *Pediatr. Neurosurg.* 1994; 21: 207.

Schütz, B, Bentz, M, du Manoir, S, Joos, S, Sörensen, N, Kühl, J, **Scheurlen, W**, Lichter, P: Cytogenetic aberrations in medulloblastomas - an analysis by means of comparative genomic hybridization. *Med. Pediatr. Oncol.* 1994; 23: 182.

Scheurlen, W, Sörensen, N: Analysis of the p53 gene and the p21 gene in childhood medulloblastomas. *Eur. J. Pediatr.* 1995; 154: 255.

Scheurlen, W, Kühl, J: Gentherapeutische Konzepte zur Behandlung hochmaligner kindlicher ZNS-Tumoren. *Monatsschr. Kinderheilkunde* 1995; 143, Suppl. 3: S194.

Scheurlen, W: Analysis of the GAP-related domain of the neurofibromatosis type 1 gene in childhood brain tumors. *Med. Pediatr. Oncol.* 1995; 25: 244.

Schütz, B, **Scheurlen, W**, du Manoir, S, Joos, S, Bentz, M, and Lichter, P: Mapping of chromosomal gains and losses in primitive neuroectodermal tumors by comparative genomic hybridization. *Genes Chromosom Cancer* 1996; 16: 196-203.

Scheurlen, W, Sörensen, N, Roggendorf, J, and Kühl, J: Molecular analysis of medulloblastomas occuring simultaneously in monozygotic twins. *Eur. J. Pediatr.* 1996; 155: 880-4.

Scheurlen, W: Möglichkeiten und Fortschritte der Gentherapie. *Pädiatr. Prax.* 1996; 51: 601-11.

Scheurlen, W, Kühl, J: Molecular analysis of childhood PNET defines markers associated with poor outcome. *Ergeb. Pädiatr. Onkol.* 20. In: *Klin. Pädiatr.* 1996; 208: 256.

Scheurlen, W, Kühl, J, Sörensen, N, Lichter, P, Wilgenbus, K: LOH of chromosome 17p in childhood PNET: Molecular analysis and clinical significance. *J. Neuro-Oncol.* 1996; 30: 127.

Scheurlen, W, Schwabe, G, Sörensen, N, Kühl, J: Molecular markers predicting poor outcome in medulloblastoma and supratentorial PNET. *Med. Pediatr. Oncol.* 1997; 29: 316.

Scheurlen, W, Kühl, J, Sörensen, N, Lichter, P, Wilgenbus, K: LOH of chromosome 17p in childhood PNET: Molecular analysis and clinical significance. *Med. Pediatr. Oncol.* 1997; 29: 364.

Scheurlen, W, Seranski, P, Mincheva, A, Kühl, J, Sörensen, N, Krauss, J, Lichter, P, Poustka, A, Wilgenbus, K: High resolution deletion mapping of chromosome 17p in childhood primitive neuroectodermal tumors (PNET) reveals a common chromosomal disruption within the Smith-Magenis region, an unstable region in band 17p11.2. *Genes Chromosom Cancer* 1997; 18: 50-8.

Mollenhauer, J, Wiemann, S, **Scheurlen, W**, Korn, B, Hayashi, Y, Wilgenbus, K, von Deimling, A, Poustka, A: DMBT1, a new member of the SRCR superfamily, is located at chromosome 10q23.3-q26.1 and deleted in malignant brain tumors. *Nature Genetics* 1997; 17:32-9.

Nestler, U, Heinkelein, M, Lücke, M, Meixensberger, J, **Scheurlen, W**, Kretschmer, A., Rethwilm, A: Foamy virus vectors for suicide gene therapy. *Gene Therapy* 1997; 4: 1270-7.

Cursiefen C, Kuchle M, **Scheurlen W**, Naumann G: Bilateral zonular cataract associated with the mitochondrial cytopathy of Pearson syndrome. *Am J Ophthalmol* 1998; 125: 260-1.

Scheurlen, W. and Kühl, J: Current diagnostic and therapeutic management of CNS metastasis in childhood brain tumors. *J. Neuro-Oncol.* 1988; 38: 181-5.

Kühl, J, Müller, H, Berthold, F, Kortmann, R, Deinlein, F, Maaß, E, Graf, N, Gnekow, A, **Scheurlen, W**, Göbel, U, Wolff, J, Bamberg, M, Kaatsch, P, Kleihues, P, Rating, D, Sörensen, N, Wiestler, O: Chemotherapie vor der Bestrahlung von Kindern und jungen Erwachsenen mit einem malignen Hirntumor: Ergebnisse der Pilotstudie HIT '88/'89. *Klin. Pädiatr.* 1998; 210: 227-233.

Scheurlen, W, Schwabe, G, Joos, S, Mollenhauer, J, Sörensen, N, Kühl, J: Molecular analysis of childhood PNET defines markers associated with poor outcome. *J Clin Oncol* 1998; 16:2478-85.

Klamt, B, Schulze, M, Thate, C, Mares, J, Goetz, P, Kodet, R, **Scheurlen, W**, Weirich, A, Graf, N, Gessler, M: Allele loss in Wilms tumors of chromosome arms 11q, 16q, and 22q correlate with clinicopathological parameters. *Genes Chromosomes Cancer* 1998; 22:287-294 (1998).

Scheurlen, W: Molekulare Grundlagen der Entstehung von malignen Rhabdoidtumoren. *Monatsschr. Kinderheilk.* 1999; 147 (8): S140.

Scheurlen, W, Schwabe, G, Wilgenbus, K, Haas, O: Mapping of the Breakpoints on the Short Arm of Chromosome 17 in Neoplasms with an i(17q). *Cytogenet. Cell Genet* 1999; 85: 181.

Scheurlen, W, Schwabe, G, Wilgenbus, K, and Haas, O: Mapping of the Breakpoints on the Short Arm of Chromosome 17 in Medulloblastomas with an i(17q). *Med. Pediatr. Oncol* 1999; 33: 435.

Scheurlen, W, Schwabe, G, Seranski, P, Joos, S, Harbott, J, Metzke, S, Döhner, H, Poustka, A, Wilgenbus, K, and Haas, O: Mapping of the Breakpoints on the Short Arm of Chromosome 17 in Neoplasms with an i(17q). *Genes Chromosom Cancer* 1999; 25: 230-40.

Otano-Joos, M, Mechttersheimer, G, Ohl, S, Wilgenbus, KK, **Scheurlen, W**, Lehnert, T, Willeke, F, Otto, HF, Lichter, P, Joos, S: Detection of chromosomal imbalances in leiomyosarcoma by comparative genomic hybridization and interphase cytogenetics. *Cytogenet Cell Genet.* 2000; 90: 86-92.

Specht, J, Reinhard, J, Harms, D, Kühl, J, Mattke, A, Kaatsch, P, **Scheurlen, W**, Graf, N: Prognosis of 70 patients with a malignant rhabdoid tumour. *Med Pediatr Oncol* 2001; 37, 116.

Scheurlen, W, Ramasubbu, K, Wachowski, O, Hemauer, A, Modrow, S: Chronic autoimmune thrombopenia/neutropenia in a boy with persistent parvovirus B19 infection. *J Clin Virol.* 2001; 20: 173-8.

Girschick; H, Klein, R, **Scheurlen, W**, Kühl, J: Cytogenetic and histopathologic studies of congenital supratentorial primitive neuroectodermal tumors: A case report. *Pathol. Oncol. Res.* 2001; 7: 67-71.

- Hoglund P, Sormaala M, Haila S, Socha J, Rajaram U, **Scheurlen, W**, Sinaasappel M, De Jonge H, Holmberg C, Yoshikawa H, Kere J.: Identification of seven novel mutations including the first two genomic rearrangements in SLC26A3 mutated in congenital chloride diarrhea. *Hum Mutat.* 2001; 18: 233-42.
- Granzow, M, Popp, S, Weber, S, Hager, H-D, Boschert, J, **Scheurlen, W**, Jauch A: Multiplex–FISH classifies chromosome rearrangements in a child with intracranial ependymoma. *Cancer Genet. Cytogenet.* 2001; 130: 79-83.
- Mollenhauer, J, Müller, H, Kollender, G, Lyer, S, Diedrichs, L, Helmke, B, Holmskov, U, Ligtenberg, T, Herbertz, S, Krebs, I, Madsen, J, Bikker, F, Schmitt, L, Wiemann, S, **Scheurlen, W**, Otto, H, von Deimling, A, Poustka, A: The SRCR/SID region of DMBT1 defines a complex multi-allele system representing the major basis for its variability in cancer. *Genes, Chromosomes Cancer* 2002; 35: 242 – 255.
- Ebinger, M, Senf, L, Wachowski, O, **Scheurlen, W**: Promoter methylation pattern of caspase-8, p16^{INK4A}, MGMT, TIMP-3, and E-cadherin in medulloblastoma. *Pathol Oncol Res.* 2004;10:17-21.
- Ebinger, M, Senf, L, Wachowski, O, **Scheurlen, W**: No aberrant methylation of neurofibromatosis 1 gene (NF-1) promotor in pilocytic astrocytoma in childhood. *Ped. Hematol. Oncol* 2005; 22, 83-87.
- Wachowski, O, **Scheurlen, W**: Hereditäre Prädisposition für Tumorerkrankungen im Kindesalter (1). *Pädiat. Praxis* 2004; 65, 619-636.
- Wachowski, O, **Scheurlen, W**: Hereditäre Prädisposition für Tumorerkrankungen im Kindesalter (2). *Pädiat. Praxis* 2005; 66, 31-40.
- Wachowski, O, Ebinger, M, **Scheurlen, W**: Gorlin-Goltz-Syndrom – ein Tumorprädispositionssyndrom. *Pädiat. Praxis* 2005; 66, 339-346.
- Ebinger, M, Senf, L, Wachowski, O, **Scheurlen, W**: Expression of Gas7 in childhood CNS tumors. *Pediatr Blood Cancer* 2006; 46: 325-8.
- Walker, T, von Komorowski, G, **Scheurlen, W**, Dorn-Beineke, A, Back, W, Bayerl, C: Neonatal mastocytosis with pachydermic bullous skin without c-Kit 816 mutation. *Dermatology* 2006, 212, 70-2.
- Ebinger, M, Senf, L, **Scheurlen, W**: Screening molekularbiologischer Marker zur Risikostratifizierung bei Medulloblastomen. *Klin. Pädiatrie* 2006, 218, : 139-142.
- Pfister, S, Schlaeger, C, Mendrzyk, F, Wittmann, A, Benner, A, Kulozik, A, **Scheurlen, W**, Radlwimmer, B, Lichter, P: Array-based Profiling of Reference-Independent Methylation Status (aPRIMES) identifies frequent promoter methylation and consecutive downregulation of ZIC2 in pediatric medulloblastoma. *Nucleic Acids Res.* 2007 , 35 (7): e51.
- Pfister, S, Remke, M, Toedt, G, Werft, W, Benner, A, Mendrzyk, F, Wittmann, A, Devens, F, von Hoff, K, Rutkowski, S, Kulozik, A, Radlwimmer, B, **Scheurlen, W**, Lichter, P, and Korshunov, A: Supratentorial primitive neuroectodermal tumors of the central nervous system frequently harbor deletions of the *CDKN2A* locus and other genomic aberrations distinct from medulloblastomas. *Genes Chromosom. Cander* 2006; 46: 839-51.
- Janzarik, W, Kratz, C, Loges, N, Olbrich, H, Klein, C, Schäfer, T, **Scheurlen, W**, Roggendorf, W, Weiller, C, Niemeyer, C, Korinthenberg, R, Pfister, S, and Omran, H: Further Evidence for a Somatic *KRAS* Mutation in a Pilocytic Astrocytoma. *Neuropediatrics* 2007; 38: 61-63.
- Pfister, S, Janzarik, W, Remke, M, Ernst, A, Werft, W, Becker, N, Toedt, G, Wittmann, A, Kratz, C, Olbrich, H, Ahmadi, R, Thieme, B, Joos, S, Radlwimmer, B, Kulozik, A, Pietsch, T, Herold-Mende, C, Gnekow, A, Reifenberger, G, Korshunov, A, **Scheurlen, W**, Omran, H, and Lichter, P: *BRAF* gene duplication constitutes a mechanism of MAPK pathway activation in low-grade astrocytomas. *J Clin Invest* 2008; 118 (5) 1739-49.